

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	295	(pdp or plasma adj display pantel) near5 (sustain adj discharge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:43
L3	51848	(pdp or plasma adj display pantel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:43
L4	526	sustain adj discharge and alternate\$3 and sustain adj pulse\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:44
L5	13	sustain adj discharge and (alternate\$3 adj sustain adj pulse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:45
L6	19	(alternate\$3 adj sustain adj pulse\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:44
L7	1497	sustain adj discharge and pulse\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:45
L8	2	first adj electrode\$1 and second adj electrode\$1 and third adj electrode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:46
L9	63604	first adj electrode\$1 and second adj electrode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:46

L10	66905	first adj electro\$2 and second adj electrode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:46
L11	16954	third adj electro\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:46
L12	2	auxiliary adj discharg\$3 and voltag\$2 adj pulse and voltage\$1 adj polarit\$2 and address\$3 adj discharg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:47
L13	117	auxiliary adj discharg\$3 and voltag\$2 adj pulse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:47
L14	48	auxiliary adj discharg\$3 and address\$3 adj discharg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:47
L15	358	control adj circuit and sustain adj discharge\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:48
L16	5882	address\$4 near6 discharg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49
L17	10295	10 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49

L18	526	3 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49
L19	225	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49
L20	71	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49
L21	2	13 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((pdp or plasma adj display pantel) and sustain adj discharge and alternate\$3 and sustain adj pulse\$1 and first adj electro\$1 and second adj electrode\$1 and auxiliary adj discharg\$3 and voltag\$2 adj pulse and voltage\$1 adj polarit\$2 and address\$3 adj discharg\$3 and third adj electrode\$1 and non adj select\$3 adj voltag\$2 and odd adj electrode\$1 and even adj electrode\$1 and temporal adj discharges\$1 and sustain adj discharg\$3 adj period and form\$3 adj wall adj charge\$1 and first adj polarity and second adj electro\$1 and apply\$3 adj voltag\$1 adj pulse and third or second adj electro\$2 and control adj circuit and sustain adj discharge\$1 and (alternately adj apply\$3 adj sustain adj voltag\$1)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 20:41